

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 September 2004 (30.09.2004)

PCT

(10) International Publication Number
WO 2004/083356 A1

- (51) International Patent Classification⁷: C11D 3/50, 3/02, 3/12
- (21) International Application Number: PCT/CH2004/000103
- (22) International Filing Date: 26 February 2004 (26.02.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0306152.0 19 March 2003 (19.03.2003) GB
- (71) Applicant (for all designated States except US): GIVAUDAN SA [CH/CH]; Chemin de la Parfumerie 5, 1214 Vernier (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): VEDANTAM, Venkateswara, Kumar [IN/SG]; Blk 14, # 04-03, Jalan Lempeng, Singapore 128799 (SG). YONG, Tan, Tee [SG/SG]; Block 31 1b, Anchorvale Lane, # 16-24, Singapore 542311 (SG).
- (74) Agent: MCSTEA, John, Anthony; Givaudan Schweiz AG, Global Patents, Überlandstrasse 138, 8600 Dübendorf (CH).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: FRAGRANCE DELIVERY

(57) Abstract: A substrate such as a fabric may be provided with a fragrance during washing or rinsing process by the addition to the wash water of a free-flowing solid fragrance-providing composition that comprises a fragrance deposited on a particulate carrier along with a water soluble salt of an alkali metal or an alkaline earth metal.

WO 2004/083356 A1

10/549509
JC05 Rec'd PCT/PTO 16 SEP 2005

FRAGRANCE DELIVERY

This invention relates to a means of fragrance delivery in washing products.

It is desirable to deliver fragrances such as perfumes to substrates by means of their incorporation into washing products such as laundry detergents. However, many washing products contain surfactants, which form micelles in water, and, as many fragrances are hydrophobic, they tend to migrate to the micelles, rather than deposit on the substrate.

Several methods of overcoming this problem have been tried. One is to use fragrances that are not attracted more to the micelles than to the substrate. This is possible, but it restricts greatly the range of possible fragrances that can be used.

Various methods have relied on using solid carriers for fragrances. Typical examples of such carriers include inorganic particles, usually silica (both precipitated and gel-type). However, the major drawback of these methods has been the water insolubility of the carrier.

It has now been found that an inexpensive, convenient method overcomes all these disadvantages and permits the achievement of a fragrance that is delivered to the substrate. The invention therefore provides a method of preparation of a free-flowing solid fragrance-providing composition, consisting essentially of the addition of a fragrance to a particulate carrier material in the presence of a water-soluble salt of an alkali or alkaline earth metal.

The invention additionally provides a free-flowing solid fragrance-providing composition, consisting essentially of a particulate carrier on which is deposited a fragrance and a water-soluble salt of an alkali or alkaline earth metal, the composition comprising at least 60% by weight of water-soluble salt and 20% maximum by weight of particulate carrier, and the ratio of water-soluble salt to fragrance being from 20:1 to 1.5:1.

The compositions of the present invention differ considerably from known compositions, which have high proportions of particulate carrier (usually in excess of 40% by weight) and high perfume loadings (typically from 20-50% by weight of the total composition).

In this description, unless otherwise stated, the use of the singular also includes the plural. For example, "a fragrance" also comprehends the case where more than one fragrance is used.

- 5 The fragrances for use in this invention may be selected from any suitable fragrance known to the art. It is a characteristic of this invention that an unusually broad range of fragrances may be used. Examples include digeranyl succinate, dineryl succinate, geranyl neryl succinate, geranyl phenylacetate, neryl phenylacetate, geranyl laurate, neryl laurate, di(b-citronellyl) maleate, dinonadol maleate, diphenoxylanol maleate, di(3,7-dimethyl-1-octanyl)
- 10 succinate, di(cyclohexylethyl) maleate, diflralyl succinate, di(phenylethyl) adipate, 7-acetyl-1,2,3,4,5,6,7,8-octahydro-1,1,6,7-tetramethyl naphthalene, ionone methyl, ionone gamma methyl, methyl cedrylone, methyl dihydrojasmonate, methyl 1,6,10-trimethyl-2,5,9-cyclododecatrien-1-yl ketone, 7-acetyl-1,1,3,4,4,6-hexamethyl tetralin, 4-acetyl-6-tert-butyl-1,1-dimethyl indane, para-hydroxy-phenyl-butanone, benzophenone, methyl beta-naphthyl
- 15 ketone, 6-acetyl-1,1,2,3,3,5 hexamethyl indane, 5-acetyl-3-isopropyl-1,1,2,6-tetramethyl indane, 1-dodecanal, 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde, 7-hydroxy-3,7-dimethyl ocatanal, 10-undecen-1-al, isohexenyl cyclohexyl carboxaldehyde, formyl tricyclodecane, condensation products of hydroxycitronellal and methyl anthranilate, condensation products of hydroxycitronellal and indol, condensation products of phenyl
- 20 acetaldehyde and indol, 2-methyl-3-(para-tert-butylphenyl)-propionaldehyde, ethyl vanillin, heliotropin, hexyl cinnamic aldehyde, amyl cinnamic aldehyde, 2-methyl-2-(para-isopropylphenyl)propionaldehyde, coumarin, decalactone gamma, cyclopentadecanolide, 16-hydroxy-9-hexadecenoic acid lactone, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2-benzopyrane, beta-naphthol methyl ether, ambroxane, dodecahydro-
- 25 3a,6,6,9a-tetramethylinaphtho[2,1b]furan, cedrol, 5-(2,2,3-trimethylcyclopent-3-enyl)-3-methylpentan-2-ol, 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol, caryophyllene alcohol, tricyclodecenyl propionate, tricyclodecenyl acetate, benzyl salicylate, cedryl acetate, para-(tert-butyl) cyclohexyl acetate, essential oils, resinoids, and resins from a variety of sources including but not limited to orange oil, lemon oil, patchouli,
- 30 Peru balsam, Olibanum resinoid, styrax, labdanum resin, nutmeg, cassia oil, benzoin resin, coriander, lavandin, and lavender, phenyl ethyl alcohol, terpeneol, linalool, linalyl acetate, geraniol, nerol, 2-(1,1-dimethylethyl)cyclohexanol acetate, benzyl acetate, orange terpenes,

eugenol, diethylphthalate, and combinations thereof.

These fragrances are generally available in liquid form (as solutions in organic solvent) and this is the form in which they are used in this invention.

5

The carrier material may be any suitable particulate carrier known to the art to be suitable as a carrier material for fragrances. Preferred are fine, porous silicas. Typical silicas are precipitated silicas, or they may be fumed silicas. The silicas should have a particle size 2 – 15 μ m and a BET surface area of from 140 to 550 M²/g. Preferably the silicas are capable of
10 adsorbing from 2-3 times their weight in fragrance. Suitable silicas of the correct particle size may be provided in that size, or they may be produced from larger particle size silicas by known techniques, such as milling. Typical commercial products include SIPERNAT (trade mark) 22S, 22LS and 50S (ex Degussa). It is possible to use silica particles of other sizes and hydrophilicity, but these are less preferred.

15

Part of the silica can be replaced by other absorbent particulate materials, such as bentonites and cellulose derivatives (for example carboxymethyl cellulose). Up to 50% by weight can be replaced but preferably the replacement is no higher than 40%, preferably no higher than 30%.

20

The water-soluble salts of alkali or alkaline earth metals may be any such salts known to the art. Typical examples include sodium and potassium chlorides and sodium sulphate, sodium chloride being especially preferred. Preferably, they should make up at least 60% by weight of the total composition.

25

Preferably the weight ratio of particulate carrier to water-soluble salt is from 1:2 to 1:20, more preferably from 1:5 to 1:20, even more preferably from 1:10 to 1:20 and most preferably from 1:8 to 1:15. In addition, the ratio of water-soluble salt to perfume is preferably from 20:1 to 1.5:1, more preferably from 8:1 to 5:1 or from 10:1 to 20:1

30

A typical composition according to this invention will have 80% salt, 10% silica and 10% fragrance. This is in marked contrast to the 50-70% silica and 30-50% fragrance in typical known formulations.

- 5 In addition to the essential components mentioned hereinabove, the fragrance-providing compositions according to the invention may additionally contain other known ingredients added in art-recognised quantities to perform their known functions. One such particularly useful ingredient is clay, added to give a softening effect. Particularly preferred clays are bentonites. Examples of other art-recognised ingredients that can be included are
- 10 antibacterial agents, fluorescing and whitening agents and malodour counteracting agents.

- The fragrance-providing compositions according to the invention are prepared by thoroughly mixing the dry ingredients (particulate carrier, salt, other ingredients) and then adding the liquid fragrance composition and stirring until a free-flowing dry powder is achieved. Given
- 15 that the final product is a free-flowing powder, a wide variety of proportions of ingredients may be used, depending upon the individual natures of the ingredients, and the skilled person can easily determine appropriate amounts by simple experimentation in every case.

- The fragrance-providing compositions of the invention are easily made and storage stable.
- 20 The process for their manufacture is simple and does not suffer from the high rate of fragrance loss that plagues other encapsulation techniques. In a wash or rinse liquor, the water-soluble salt dissolves readily, unlike many known compositions, and the released fragrance partitions preferably on to the substrate being washed. The invention therefore provides a method of applying a fragrance as hereinabove described. to a substrate during
- 25 washing or rinsing, comprising the adding to the wash or rinse water of a fragrance-providing composition

The invention is further described with reference to the following non-limiting examples.

30 **EXAMPLE 1**

Admixtures A - H of the compositions shown in Table 1 below are prepared by blending fumed silica, CMC and sodium chloride and then adding perfume, and mixing until a free-

flowing powder is achieved. 0.5g of each is added to one litre of water to give a liquor. A towel is soaked in the liquor for ten minutes and squeezed and dried in open air.

Table 1

	A	B	C	D	E	F	G	H
Sunshine (perfume)	10	20	10	15	10	20	10	15
AEROSIL [®] 200	5	10					5	5
AEROSIL [®] R972			5	10	5	5		
Sodium Chloride	85	70	85	75	80	70	80	75
BLANOSE [®] Refined CMC					5	5	5	5
Total	100	100	100	100	100	100	100	100

5

AEROSIL is a fumed silica (trade mark of Degussa).

"Blanose" is carboxymethyl cellulose (trade mark of Hercules)

Olfactive evaluations are carried at regular intervals of time by an expert panel of evaluators.

10

Performance Rating:

5 ←-----4-----3-----2-----→ 1
 Very strong Strong Fair Weak Very Weak

Olfactive Evaluation scores

	Day 1	Day 3	Day 5	Day 7
A	5.0	4.6	4.0	3.1
B	4.8	4.6	4.1	3.0
C	4.6	4.1	3.6	3.0
D	4.6	4.2	3.5	2.9
E	4.8	4.3	3.2	2.8
F	5.0	4.6	4.3	3.6
G	4.6	3.9	3.2	2.7
H	4.8	4.1	3.5	3.1

EXAMPLE 2

Example 1 is repeated with compositions J - O as shown in the table below.

5

	J	K	L	M	N	O
WaterFall (perfume)	20	30	10	15	10	5
AEROSIL [®] 200	5	10	5	5	4	5
LAUNDROSIL [®] DGA	5	10	5	15	6	5
Sodium Sulphate	70	50	80	65	80	85
Total	100	100	100	100		100

LAUNDROSIL is a detergent-grade bentonite (trade mark of Süd-Chemie AG)

10 The results are as follows:

Olfactive Evaluation scores

	Day 1	Day 2	Day 5	Day 7
J	5	4.6	4.4	3.8
K	5	4.4	4.0	3.8
L	4.6	4.0	3.4	2.9
M	4.5	3.9	3.6	3.2
N	4.7	4.0	3.4	3.0
O	4.7	3.8	3.0	2.6

CLAIMS:

1. A method of preparation of a free-flowing solid fragrance-providing composition, comprising the addition of a fragrance to a particulate carrier material in the presence of a water-soluble salt of an alkali or alkaline earth metal.
2. A method according to claim 1, in which the weight ratio of particulate carrier to water-soluble salt is from 1:21 to 1:20, more preferably from 1:5 to 1:20, even more preferably from 1:10 to 1:20 and most preferably from 1:8 to 1:15.
3. A method according to claim 1 or claim 2, in which the weight ratio of water-soluble salt to perfume is from 20:1 to 1.5:1, more preferably from 8:1 to 5:1 or from 10:1 to 20:1.
4. A method according to any one of claims 1-3, in which the particulate carrier is fine, porous silica, optionally replaced to a maximum of 50% by weight of other absorbent particulate materials.
5. A free-flowing solid fragrance-providing composition, consisting essentially of a particulate carrier on which is deposited a fragrance and a water-soluble salt of an alkali or alkaline earth metal, the composition comprising at least 60% by weight of water-soluble salt and 20% maximum by weight of particulate carrier, and the ratio of water-soluble salt to fragrance being from 20:1 to 1.5:1.
6. A composition according to claim 5, in which the weight ratio of particulate carrier to water-soluble salt is from 1:2 to 1:20, more preferably from 1:5 to 1:20, even more preferably from 1:10 to 1:20 and most preferably from 1:8 to 1:15, and the weight ratio of water-soluble salt to perfume is from 8:1 to 5:1.
7. A composition according to claim 5, in which the weight ratio of particulate carrier to water-soluble salt is from 1:2 to 1:20, more preferably from 1:5 to 1:20, even more

preferably from 1:10 to 1:20 and most preferably from 1:8 to 1:15, and the weight ratio of water-soluble salt to perfume is from 10:1 to 20:1.

8. A method of providing a fragrance to a substrate during washing or rinsing,
5 comprising the adding to the wash or rinse water of a free-flowing solid fragrance-providing composition according to any one of claims 5-7.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/CH2004/000103

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C11D3/50 C11D3/02 C11D3/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 041 421 A (KING MICHAEL L) 20 August 1991 (1991-08-20) column 10; claims; examples 1-4	1-7
X	WO 03/020867 A (UNILEVER PLC ; LEVER HINDUSTAN LTD; UNILEVER NV) 13 March 2003 (2003-03-13) claims; examples	1-8
X	IZUMI YU ET AL: "FRAGRANCE-CONTAINING PARTICLES STORABLE IN LAUNDRY BLEACHES" CHEMICAL ABSTRACTS + INDEXES, AMERICAN CHEMICAL SOCIETY. COLUMBUS, US, vol. 111, no. 10, 4 September 1989 (1989-09-04), page 134 XP000055812 ISSN: 0009-2258 paragraph '80380X!	1-5,8
	--- -/-	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the International filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

6 May 2004

Date of mailing of the international search report

14/05/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Pfannenstein, H

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CH2004/000103

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01/25389 A (UNILEVER PLC ; LEVER HINDUSTAN LTD (IN); UNILEVER NV (NL)) 12 April 2001 (2001-04-12) example II ---	1-3, 5, 6, 8
X	US 2002/198117 A1 (DENTE STEPHEN V) 26 December 2002 (2002-12-26) paragraph '0022!; examples ---	1-3, 5, 6, 8
X	DE 30 36 478 A (HAEBERLE KARL HEINZ) 15 April 1982 (1982-04-15) page 7; claims ---	1-3
X	US 4 873 000 A (WELLER JEANNE M) 10 October 1989 (1989-10-10) claims; examples ---	1-3
A	WO 99/21953 A (HENKEL KGAA) 6 May 1999 (1999-05-06) claims -----	1-8

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 5041421	A	20-08-1991	AU	4627389 A	28-05-1990
			CA	2002081 A1	03-05-1990
			WO	9004960 A1	17-05-1990
			US	5246919 A	21-09-1993
WO 03020867	A	13-03-2003	WO	03020867 A1	13-03-2003
WO 0125389	A	12-04-2001	US	6362159 B1	26-03-2002
			AU	7916600 A	10-05-2001
			BR	0014473 A	11-06-2002
			CA	2385314 A1	12-04-2001
			WO	0125389 A1	12-04-2001
			EP	1218482 A1	03-07-2002
			TR	200200887 T2	21-08-2002
			ZA	200202226 A	19-03-2003
US 2002198117	A1	26-12-2002	US	6426325 B1	30-07-2002
			CA	2432261 A1	14-12-2003
			EP	1371378 A1	17-12-2003
			AU	2569402 A	03-06-2002
			CA	2429556 A1	30-05-2002
			EP	1347740 A1	01-10-2003
			WO	0241864 A1	30-05-2002
DE 3036478	A	15-04-1982	DE	3036478 A1	15-04-1982
US 4873000	A	10-10-1989	GB	2219304 A , B	06-12-1989
WO 9921953	A	06-05-1999	DE	19746780 A1	29-04-1999
			CN	1276827 T	13-12-2000
			WO	9921953 A1	06-05-1999
			EP	1025195 A1	09-08-2000
			JP	2001521058 T	06-11-2001
			PL	340048 A1	15-01-2001
			US	6562769 B1	13-05-2003